



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/532,660	01/27/2006	Pramod K. Srivastava	8449-323-999	6470
20583	7590	07/11/2007		
JONES DAY 222 EAST 41ST ST NEW YORK, NY 10017			EXAMINER AEDER, SEAN E	
			ART UNIT 1642	PAPER NUMBER
			MAIL DATE 07/11/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No.	Applicant(s)	
	10/532,660	SRIVASTAVA, PRAMOD K.	
	Examiner	Art Unit	
	Sean E. Aeder	1642	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 April 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-44 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☐ Claim(s) _____ is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☒ Claim(s) 1-44 are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 1642

DETAILED ACTION
Election/Restrictions

Restriction is required under 35 U.S.C. 121 and 372.

This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1.

In accordance with 37 CFR 1.499, applicant is required, in reply to this action, to elect a single invention to which the claims must be restricted.

Group I, claim(s) 1-18 and 37-44, drawn to treatment devices.

Group II, claim(s) 19-36, drawn to a method of treating a cancer comprising administering lysed tissue.

The inventions listed as groups I-II do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

The technical feature linking groups I-II appears to be that they all relate to the special technical feature of a treatment device comprising an extraction mechanism configured to extract a tissue sample, a lysis mechanism coupled to the extraction mechanism, wherein said lysis mechanism is configured to induce cell lysis of said tissue sample to produce a lysed tissue sample, and an administration mechanism coupled to both said extraction mechanism and said lysis mechanism, wherein said administration mechanism is configured to administer said lysed tissue sample.

However, Siegel (US Patent 6,495,347; filed July 7 2000) teaches a treatment device comprising an extraction mechanism configured to extract a tissue sample, a lysis mechanism coupled to the extraction mechanism, wherein said lysis mechanism is configured to induce cell lysis of said tissue sample to produce a lysed tissue sample, and an administration mechanism coupled to both said extraction mechanism and said lysis mechanism, wherein said administration mechanism is configured to administer said lysed tissue sample (see line 60 of column 26 to line 7 of column 27, in particular).

Therefore, the technical feature linking the inventions of groups I-II does not constitute a special technical feature as defined by PCT Rule 13.2, as it does not define a contribution over the prior art.

Accordingly, groups I-II are not so linked by the same or a corresponding special technical feature as to form a single general inventive concept.

Species

This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

Claims 1-18 and 37-44 are generic to a plurality of disclosed patentably distinct species of “**lysis mechanisms**” comprising the following: a pair of rotatable cylinders; a pair of intermeshing rotatable gears; a grate; rotatable blades; a cooling mechanism;...an ultrasonic mechanism (see claim 10, in particular). The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: The species represent separate and distinct products which are made by materially different methods, which have different modes of operation, different functions and different effects. Applicant is required, in reply to this action, to elect a single species to which the claims shall be restricted if no generic claim is finally held to be allowable. The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Claims 1-44 are generic to a plurality of disclosed patentably distinct species of “**tissue samples**” comprising the following: a tumor sample; a tumor sample that has been lysed and mixed with a fluid and homogenized; an infected sample;...an infected sample of an animal other than a human that has been lysed and mixed with a fluid and homogenized (see claim 16, in particular). The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: The species represent separate and distinct products which are made by materially different methods, which have different modes of operation, different functions and different effects. Applicant is required, in reply to this action, to elect a single species to which the claims shall be restricted if no generic claim is finally held to be allowable. The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Claims 19- 36 are generic to a plurality of disclosed patentably distinct species of “**methods of lysing**” comprising the following: blending; grating; crushing; thermal treating; sonication (see claim 23, in particular). The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: The methods of the above species differ at least in, method steps, reagents and/or dosages and/or schedules used, response variables, and criteria for success such that one species could not be interchanged with the other. Applicant is required, in reply to this action, to elect a single species to which the claims shall be

Art Unit: 1642

restricted if no generic claim is finally held to be allowable. The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Claims 26-28, 32, and 41-44 are generic to a plurality of disclosed patentably distinct species of **"additive solutions/biologically active additives"** comprising the following: a cytokine; an adjuvant; an antibody; an anticancer agent;...an anti-infective agent (see claims 27, 28, and 42). The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: The species represent separate and distinct products which are made by materially different methods, and are used in materially different methods which have different modes of operation, different functions and different effects. Applicant is required, in reply to this action, to elect a single species to which the claims shall be restricted if no generic claim is finally held to be allowable. The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sean E. Aeder, Ph.D. whose telephone number is 571-272-8787. The examiner can normally be reached on M-F: 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Shanon Foley can be reached on 571-272-0898. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Misook Yu/ Primary Examiner, Art Unit 1642